# 

### DESIGN FOR LIVING

# PAVESTONE NATURAL BEAUTY. HANDMADE ELEGANCE.

# Welcome

Your project represents a considerable investment and should endure many years of seasonal change, it is therefore very important to consider the quality of paving or walling to be used. There are many cheaper landscaping materials available that may not stand the test of time.

Pavestone landscaping products are never engineered to meet the lowest possible price. Instead our commitment is to always offer quality products with consistent aesthetics, dimensional quality and a lasting durability for a fair price.

Pavestone Porcelain is sourced worldwide from meticulously audited manufacturers and our Natural Stone materials are only procured from our strategic partners who have been working with us for over twenty years to establish ethical supply chains. Pavestone concrete products are manufactured using electricity supplied only from sustainable and renewable resources which conform to current environmental responsibilities.

Welcome to the new 2024 Pavestone hard landscaping products brochure, which has been designed to both inspire you in finding the perfect materials for your project and also to offer you the practical information needed to make an informed choice.

The Pavestone brand has always been synonymous with both quality and value for money. Our 2024 collection of home flooring and garden landscaping materials have been specifically selected to ensure that you will be able to find exactly the right colours, textures and materials to realise your dream project.

To assist in the design stage, once a paving has been selected we have included some technical detail (Pages 138 - 151). Here you can find a quick reference covering all our products for colour, dimensions, coverage etc. More technical data and laying patterns are available to download from our website www.pavestone.co.uk







Pavestone has adopted the ETI Base Code as a platform for the procurement and distribution of our natural stone products. See page 152 for more information.



BREEAM addresses wide-ranging environmental and sustainability issues, enabling us to prove the environmential credentials of our building products.



ISO 14001:2015 Environmental Management Systems.



ISO 9001:2015 Quality Management Systems.



British Standards Institute registered



Pavestone Landscaping Products are UK Conformity Assessed (UKCA mark) See website for UKCA Technical Files & Declarations of Conformity (DoC)

Front cover picture: Dolomite, White



# CONTENTS

### INSPIRATION

Porcelain Paving	14
Natural Stone Paving	68
Edging, Coping & Steps	101
Block Paving	102
Valling & Cladding	116
THE DETAIL	
Protectors and Cleaners	134
Jointing & Fixing Products	136
Porcelain Paving	138
Natural Stone Paving	141
Block Paving	145
Edging, Coping & Steps	146
Valling	146
Guide to Professional Paving	148
How to Videos	150
General Information	153

# **PAVESTONE** ON VIDEO.

# Fall in LOVE with YOUR GARDEN.

As you browse through the Pavestone brochure, you'll be inspired to find the perfect materials for your next project. The garden landscaping and home flooring collection has been specifically selected to help you find exactly the right colours and textures to realise your dream.

> David Domoney, C Hort. FCI Hort. presenter, ITVI3 Love Your Garden





diate the

SLATE, RIO & SAWN, ASH



FLY T<u>H</u>RU

Check out my videos to help bring these gardens to life. All you need is a smartphone or tablet. Simply use the built-in camera to scan any of the QR codes you'll find throughout our brochure and it will take you straight to the video on the website!



So, look out for the 'Fly Thru' QR code and we can help you fall in love with your dream garden. More 'Fly Thru' videos will be added to our website throughout 2024 so keep checking www.pavestone.co.uk for the latest updates.

Take a closer look at my favourite gardens. Scan the code to the right or visit www.pavestone.co.uk/fly-thru-gardens.





Featured in ITV's Love Your Garden



#### SIMPLY USE YOUR PHONE OR TABLET CAMERA TO SCAN THE QR CODES

# **PAVESTONE** ON SHOW.





Our products have often been first choice for many landscapers all around the country, as well as numerous multi-award winning garden designers.

We were honoured that Pavestone's Preferred Designer, Pip Probert had chosen our majestic Amalfi Anthracite and Gris for her elegant show garden at RHS Flower Show Tatton Park 2023. Pip and Pavestone Preferred Installers at Outer Spaces gained Silver Medal for her design, demonstrating to visitors how they can make the most of outdoor living.

Look out for more RHS show gardens throughout 2024, where our paving helps to earn even more medals for designers and landscapers.






Although planting is very much the main point of interest in my garden designs, the choice of fencing, furniture, planters and of course paving is equally important. Pavestone's Amalfi was the perfect choice for my garden this year at RHS Tatton.

Pip Probert, Pavestone Preferred Designer

I've been working with David and the rest of the Love Your Garden team now for over five years and it's so rewarding to see the amazement on peoples faces when we've transformed their gardens into life changing,



Matt Leigh, Garden Designer & Project Manager for ITV I Love Your Garden

1000



ITV's Love Your Garden Episode, Bicester

DOLOMITE, MARS RUST

# **PAVESTONE** ON TV:

For many years Pavestone has been the preferred choice for TV garden producers and most likely you will have seen our landscaping products on numerous programmes. Especially ITV's ever popular lifestyle gardening series, Love Your Garden.

It's always rewarding to see a garden come to life, from a designers artistic impression, to a magnificent transformation. However, what gives us more pleasure, is to see how the television teams' thoughtful designs make a massive difference to such well deserving individuals and their families.







DISCOVERY, ORIGIN GRANDE

# CHOOSING YOUR PAVING.



When it comes to choosing paving, it is important to understand the correlation between the cost of your chosen paving and the final cost of your landscaping project.

Typically, the cost of the paving will be approximately 20% or less of the total project cost, the remaining 80% will be the cost of installation - labour, cement, sand, sub base materials and tool hire.

So, buying a more expensive, better quality paving, will not significantly increase costs. In fact, spending 50% more on your paving may only result in an increase of just 10% to the total project cost.



# GET IT RIGHT with **PAVESTONE**



You'll be investing time and money when choosing quality paving. Check it's the right colour and style for your patio or driveway. Our brochure will show you plenty of stunning gardens but once you have found a product you like, it's advisable to either check out a display at your local stockist or request a sample.

When you are happy with your final choice, to ensure you will have a garden you can show off to family and friends make sure you get it installed correctly.

Follow our laying instructions on page 148 or watch our new step-by-step 'How To' videos on our website, www.pavestone.co.uk. For a quick link through to each video, see page 150.



To request a sample, ask your local stockist.

# CHOOSING THE RIGHT INSTALLER.





Many people like to spend their spare time outdoors. And where better than right outside your back door, in your garden.

We dream of having the perfect garden and spend lots of time and effort searching for the look and style to create the ideal outdoor living space. Hours can be spent finding inspiration leafing through magazines, or watching TV shows. And that's before you've even started choosing the types of building materials!

It's not just the huge amount of time that's invested to create your dream project but it can also be a significant financial commitment too.



So, can you imagine the disappointment, when you have spent all that time and money, to see a poorly installed patio or driveway?

Remember the only part you see at the end of the job is the paving, so not only should you choose the best product you can afford but also choose your installer wisely.

Don't just go for the cheapest quote. Ask to see references and photos from previous jobs. Even better, go and visit some of their installations. Looking at projects from 2 or 3 years ago will also show you how they have stood the test of time.

Always do your research. Speak to family and friends for good recommendations and also check local social media as well.

Good landscapers will give their time, listen to your needs and will help create your patio to give you a long term garden you can be proud of. A good landscaper, with good laying practices, may come at a price but it's well worth the investment.





If you need help finding a landscaper, visit our website and type in your postcode to find one of our preferred installers near you.





Watch David video to see why it so important to make the right choice!

David Domoney, C Hort. FCI Hort. presenter, ITVI3 Love Your Garden "Your dream patio could turn out to be a nightmare if you don't take care when choosing your landscaper"

#### Top tips for choosing a landscaper

Do your research Be cautious with cold callers Get more than one quote Ask for references Choose a Pavestone Preferred Installer (see page 12) NO THE NO.

# CHOOSING THE BEST INSTALLER.

FLY THRU

# **PAVESTONE**

### PREFERRED INSTALLER

Construct our day of a

At Pavestone, we believe that quality landscaping materials deserve to be installed by top quality installers, which is why we've created a database of our 'Preferred Installers'.

Unlike many other landscaper schemes, our Preferred Installers are all vetted and hand picked by our very own industry experienced staff.



Pavestone Preferred Installer, Tropical Landscaping, was the 2023 Winner of a National Builders Merchant 'Landscaper of the Year' competition with this project using Dolomite French Limestone



DOLOMITE, FRENCH LIMESTONE





If you would like more information about being one of our Preferred Installers, give us a call on 01386 848650 or email enquiries@pavestone.co.uk

Installers are chosen on several criteria, their innovative use of materials, their creative design, but above all their high level of workmanship. Each and every installer shares our vision and is dedicated to creating beautiful patios and driveways for their customers. We are proud of what we collectively achieve for homeowners, and love to show off our products, as well as our installers handy work.

Many of our Preferred Installers projects are showcased throughout this brochure. None are computer generated, they are all real patios, in real gardens. All proudly displayed to help inspire other homeowners create their very own outdoor living space. We don't charge installers to be on our list. All we ask, is they continue their great work and keep sending us stunning gardens to photograph.

Of course, that's not the only benefit of being a Pavestone Preferred Installer. We also provide many other advantages of joining our 'family', such as marketing support, your own company branded Pavestone brochures, social media exposure to our thousands of followers, free product samples, accompanied site visits with home owners, your company listed on the Pavestone website, industry experienced installation support and much, much more.



Porcelain Paving is the latest in advanced paving solutions that combines stylish design with robust, durable, vitrified technology.

The Pavestone Porcelain range has been selected to meet all tastes and budgets. The diversity of the Porcelain range encompasses wood effect planks, beautiful natural stone simulates and a varied selection of surface textures and colours. So realistic, it's hard to believe they are man made.

Porcelain Paving is algae resistant, frost resistant and is easier to maintain.





### **PORCELAIN** PAVING

Discovery20Tegel24Dolomite26Natural40Monviso44Mosaic46Verona48Antico50Apulia52Amalfi54Alfa56Calibra58Classic60Evo62Setts & Edging64Bespoke Cutting & Profiling66	Deckwood	16
Dolomite26Natural40Monviso44Mosaic46Verona48Antico50Apulia52Amalfi54Alfa56Calibra58Classic60Evo62Setts & Edging64	Discovery	20
Natural40Monviso44Mosaic46Verona48Antico50Apulia52Amalfi54Alfa56Calibra58Classic60Evo62Setts & Edging64	Tegel	24
Monviso44Mosaic46Verona48Antico50Apulia52Amalfi54Alfa56Calibra58Classic60Evo62Setts & Edging64	Dolomite	26
Mosaic46Verona48Antico50Apulia52Amalfi54Alfa56Calibra58Classic60Evo62Setts & Edging64	Natural	40
Verona48Antico50Apulia52Amalfi54Alfa56Calibra58Classic60Evo62Setts & Edging64	Monviso	44
Antico50Apulia52Amalfi54Alfa56Calibra58Classic60Evo62Setts & Edging64	Mosaic	46
Apulia52Amalfi54Alfa56Calibra58Classic60Evo62Setts & Edging64	Verona	48
Amalfi54Alfa56Calibra58Classic60Evo62Setts & Edging64	Antico	50
Alfa56Calibra58Classic60Evo62Setts & Edging64	Apulia	52
Calibra58Classic60Evo62Setts & Edging64	Amalfi	54
Classic60Evo62Setts & Edging64	Alfa	56
Evo62Setts & Edging64	Calibra	58
Setts & Edging 64	Classic	60
	Evo	62
Bespoke Cutting & Profiling 66	Setts & Edging	64
	Bespoke Cutting & Profiling	66



10.00

Strength and durability of porcelain meets the natural beauty and warmth of timber. The realistic wood grain blends together piece by piece to create unique compositions and colour contrasts.

# DECKWOOD

The look of timber, the durability of stone.





CINDER



coco





ASH

Suitability: Outdoors Material: Porcelain Size: 1200x295mm Delivery: Single Size See page 138 for more details







# DISCOVERY

A IG rande paving for dramatic impact.

Discovery is a large format tile which is available in four colour tones with a light textured finish. The 'Grande' 1200x600mm size of Discovery makes for a more dramatic impact in large gardens.





ORIGIN GRANDE









WHITE SLATE

Suitability: Outdoors Material: Porcelain Size: 1200x600mm Delivery: Single Size See page **138** for more details



ORIGIN GRANDE WITH ROCK STACK CLADDING













# TEGEL

Continental chic.

Chic and contemporary, these large format tiles really make a statement. Available in 900x900mm and three colours Tegel porcelain will create a modern continental look to any garden.





BLACK







Use Pavestone Porcelain Tile Protector before grouting



BIANCO

Suitability: Outdoors Material: Porcelain Size: 900x900mm Delivery: Single Size See page 139 for more details

PAGE 25

# DOLOMITE

Vibrant colours to enhance your patio.

With ten vibrant stone colours and textures to choose from, the Dolomite porcelain large element paving range is inspired by some of the world's best examples of natural stone. A wide variety of face textures ensures a totally natural appearance.





MOON & GREY WITH KADAPHA SETTS







DUST






MARS RUST

Suitability: Outdoors Material: Porcelain Size: 1000x500mm Delivery: Single Size See page **138** for more details GREY







TRAVERTINE



FRENCH LIMESTONE





WHITE







FRENCH LIMESTONE

BESPOKE CUTTING

PROFILIN SEE PAGE 66

G

SEE PAGE 138 FOR FULL TECHNICAL SPEC

2 3 3 3 3

THE OWNER WHEN THE







10





PAGE 30

15 - 15 - mail

And a state of the state of the





SEE PAGE 138 FOR FULL TECHNICAL SPEC













SEE PAGE 138 FOR FULL TECHNICAL SPEC





-

WIT IS



SEE PAGE 138 FOR FULL TECHNICAL SPEC

# NATURAL

and It

Naturally impressive.

Simulating some of the most popular natural stone, our 'Natural Porcelain' range has an exceptional and convincing look of modern granite, natural sandstone and majestic Yorkshire stone.

GREYSTONE



CARBON GRANITE



SILVER GRANITE



GREYSTONE

YORKSTONE

Suitability: Outdoors Material: Porcelain Size: 900x600mm Delivery: Single Size See page 139 for more details



Use Pavestone Porcelain Tile Protector before grouting



BESPOKE CUTTING 8 PROFILING SEE PAGE 66

CARBON GRANITE



PAGE 40













### MONVISO

Clean lines with a delicate, textured surface.

Similar to honed & polished sandstone yet with all the durability of porcelain. Monviso pavers have crisp straight edges which are perfect for contemporary settings.





SMOOTH GREY

DUOMO MINT

Suitability: Outdoors Material: Porcelain Size: 900x600mm Delivery: Single Size See page 139 for more details





SMOOTH GREY



# MOSAIC

Moroccan styling with a touch of elegance.

Available in two different shades, these Moroccan style Mosaic tiles evoke flavours of North Africa, which will add a decorative feature to any garden setting.

Whether used as a border, small central seating area or even a complete patio, these elegant tiles will add a point of interest to any garden design.





BEIGE

Suitability: Outdoors Material: Porcelain Finish: Straight Edge Size: 600x600mm Delivery: Single Size See page 139 for more details





### VERONA

Travertine look and feel, with porcelain durability.

Similar in look to the traditional travertine limestone tiles, this delightful porcelain alternative will transform your garden. The light texture and soft, subtle pillow edge transforms this new range of porcelain.



NATURAL

WHITE

Suitability: Outdoors Material: Porcelain Size: 900x600mm Delivery: Single Size See page 139 for more details

WHITE



# ANTICO

A traditional paving with a modern twist.

Unlike our other porcelain ranges, Antico has fettled edges, replicating hand-cut natural stone paving. Available in two shades, this stylish single size paving is a good choice for both traditional and contemporary gardens.







QUARTZITE

Suitability: Outdoors Material: Porcelain Size: 800x400mm Delivery: Single Size See page 139 for more details



GRANITE



QUARTZITE







## APULIA

Create a modern, dynamic look & Beel.

Providing a striking and seamless finish, Apulia is the perfect choice for creating a dynamic modern look to your garden. The three, sublime shades will suit any ultra-modern, contemporary space.





ALSACE

QUARTZITE





ALSACE

LIME

Suitability: Outdoors Material: Porcelain Size: 900x600mm Delivery: Single Size See page 140 for more details

PAGE 52





QUARTZITE

### AMALFI

Sophisticated elegance.

Majestic in appearance, this hard wearing, marble effect paving will add style and grandeur to any garden setting.



ANTHRACITE

Suitability: Outdoors Material: Porcelain Size: 900x600mm Delivery: Single Size See page 140 for more details



× .

BEIGE













STORM

#### ALFA

Subtle and soft mottled texture.

With a subtle, mottled texture, Alfa provides excellent grip underfoot in damp and wet weather. The range is available in three contemporary shades which will make a dramatic impact in any garden setting.





STORM

BONE





GREY MINERAL

Suitability: Outdoors Material: Porcelain Size: 900x600mm Delivery: Single Size See page 140 for more details



BONE



### CALIBRA

13090

Delicately textured with a silky soft surface.

With a smooth, yet non-slip surface, Calibra Porcelain is an extremely hard wearing, practical patio paving with all the beautiful aesthetics of naturally honed stone.





Suitability: Outdoors Material: Porcelain Size: 595x595mm Delivery: Single Size See page **140** for more details



LINEN

BESPOKE CUTTING PROFILII SEE PAGE 66

SILVER GREY

LINEN

CHALKBOARD





.....

#### CLASSIC

Simple and affordable patio transformation.

With all the same properties as our other porcelain ranges, the Classic Porcelain will transform any patio or pathway at an affordable price. Available in three optional sizes all three popular colours will add that touch of 'class'.



ANTHRACITE

IVORY





Suitability: Outdoors

Material: Porcelain Sizes: 1200x600, 900x600 & 600x600mm

GREY

Delivery: Single Size See page 140 for more details



IVORY







ANTHRACITE



GREY



#### EVO Simply hard wearing.

Evo Porcelain paving is hard wearing and features two popular colourways, providing affordable durability to suit all budgets.



QUARTZ WHITE

GREY

GREY

Suitability: Outdoors Material: Porcelain Size: 900x600mm Delivery: Single Size See page 140 for more details





# SETTS & EDGING

Decorative edging for a perfect finish to your patio.

Available in two sizes 100x100 and 200x100mm, these Porcelain Setts provide a beautiful edge to pathways and can also create a contrasting 'picture frame' around your patio. The three shades can be laid alongside almost all of the porcelain paving range.



SETTS, ANTHRACITE







These stylish and contemporary planks give the perfect finish to your patio or path. With straight edges on all four sides, the three shades of porcelain plank edging will complement most of the porcelain paving range.

They can be laid flat as a linear border edging or even laid alongside each other as a patio feature. Alternatively, if your lawn or planted area is higher than your patio, they can also be installed vertically. And for that extra touch of detail, a bull nose edge will certainly add panache to your paving.

See page 66 for more information about our bespoke cutting and profiling.





### BESPOKE CUTTING & PROFILING.



Our bespoke porcelain cutting service includes cutting for step treads, copings, planks and mitred joints, all to your own specification, helping you easily create that special finish to your patio. We also offer a profiling service that includes five different profiles, which will add an extra touch of class to your steps and edging.

To make your project stand out from the crowd, but without all the extra hard work, speak to our Sales Team on 01386 848650.

> STRAIGHT EDGE PLANKS & EDGING







To find out more about our Bespoke Cutting & Profiling Service, call us on **01386 848650** 








Quality natural stone selected for its colour, texture and character creates the definitive Pavestone range. Synonymous with quality and sourced only from responsible quarry owners who can prove a high regard for the welfare of their workers and their environment.



CLASSIC SANDSTONE, BUFF



Edging, Copings & Steps





## SAWN

Stylish modern natural stone paving with a light riven.

Sawn derives its name from the sawn straight linear edges of each paver and reflects a stylish, opulent, contemporary feel to the landscape.

Sawn paving has been hand-selected to create just the right hue to the light grey contemporary stone colour.



Suitability: Outdoors Material: Natural Finish: Sawn Straight Edge, Riven Surface Delivery: Single Size Pallet See page 141 for more details

ASF

#### SHADE VARIATION

Due to the nature of the material, particular shades of natural stone will have a slight colour variation. It is advisable to view a large display at your nearest stockist or ask them for some samples.

# TUDOR ANTIQUE

Handcrafted, time-worn natural stone.

Recreating the appeal of time-worn flagstones from previous centuries, Tudor Antique was created to blend sympathetically with older properties and gardens where the design seeks to provide an established feel. Tudor Antique paving can also be used to great effect as an indoor flooring material.





OXFORD



DEND



CAMBRIDGE



DEANERY

Suitability: Outdoors & Indoors Material: Natural Finish: Tumbled Edge, Time-worn Surface Delivery: Contractor Pack & Single Size See page 141 for more details



CATHEDRAL

Due to the nature of the material, particular shades of natural stone will have a slight colour variation. It is advisable to view a large display at your nearest stockist or ask them for some samples.







POINTING MADE EASY! Save time with brush-in jointing compound See page 136 for paving & walling accessories



OXFORD

SEE PAGE 141 FOR FULL TECHNICAL SPEC





SEE PAGE 141 FOR FULL TECHNICAL SPEC



1200

## CLASSIC Traditional Riven finish. SANDSTONE

---

100

0

Part of the character of sandstone paving is that no two stones are coloured the same, however, when combined they create a rich tapestry of colour to make a beautiful overall hue.

PENNINE WAY



Seasonal changes can often bring a differing perspective to the reflected colours of the stone. In strong summer sunlight a sandstone patio will appear to have less colour variation, whilst after rain the colours will be of a deep patina.



RAJ BLEND

RIPPON

Suitability: Outdoors Material: Natural Finish: Fettled Edge, Riven Surface Delivery: Contractor Pack & Single Size See page 142 for more details





MODAK





LIGHT GREY



COUNTRY BUFF

#### SHADE VARIATION

Due to the nature of the material, particular shades of natural stone will have a slight colour variation. It is advisable to view a large display at your nearest stockist or ask them for some samples.







10

5

Same 2





RIPPON

GOLDEN FOSSIL WITH KADAPHA SETTS

SEE PAGE 142 FOR FULL TECHNICAL SPEC



RAJ BLEND

FLY THRU









# LIMESTONE

Attractive and durable with a softer appearance.

Limestone is an attractive and very durable paving which has a softer appearance than sandstone. Pavestone offer three colours of this sawn edge paving, which will complement classic and contemporary gardens alike.



KADAPHA

Suitability: Outdoors Material: Natural Finish: Sawn Straight Edge, Light Riven Surface Delivery: Contractor Pack & Single Size See page 142 for more details



ABBEY

KOTA BLUE





**RESTORE BACK TO** To restore colouration in your Kadapha patio use Black Stone Rejuvenator & Sealer



SEE PAGE 142 FOR FULL TECHNICAL SPEC







Over time Kadapha will lighten. To restore colouration, we recommend sealing with Pavestone Black Stone Rejuvenator & Sealer to ensure that the paving will retain its deep black colour.



SEE PAGE 142 FOR FULL TECHNICAL SPEC

KADAPHA

KADAPHA SEALED







# SLATE

Timeless beauty.

Pavestone sources the finest Brazilian Slate which fully captures the timeless beauty and character of a bygone age. Its smoother riven surface makes it an ideal base for garden furniture. This premium slate provides a contemporary feel which will complement both town and country gardens.

Suitability: Outdoors & Indoors Material: Natural Finish: Sawn Straight Edge, Light Riven Surface Delivery: Contractor Pack & Single Size See page 142 for more details





This garden is stunning! Watch my video to see why I love it so much!



David Domoney, C Hort. FCI Hort. presenter, ITVI3 Love Your Garden

## TUDOR COBBLE

A REAL PROPERTY OF A REAL PROPERTY OF

Handcrafted, time-worn natural stone.

ALC: NOTE: N



OXFORD

Tudor Cobbles complement perfectly the Tudor Antique paving range and are particularly suitable for paving courtyards and terraces where a smaller size paving creates a better aspect ratio.

Because these hand crafted cobbles are extremely durable, they are ideal for creating stunning driveways, often designed to run seamlessly into a Tudor Antique paved area.





Suitability: Outdoors Material: Natural Finish: Fettled Edge, Time-worn Surface Delivery: Contractor Pack See page 143 for more details

#### SHADE VARIATION

Due to the nature of the material, particular shades of natural stone will have a slight colour variation. It is advisable to view a large display at your nearest stockist or ask them for some samples.





F



BLACK GRANITE



FOSSIL



RAJ BLEND



MIDNIGHT SLATE



SILVER GRANITE

BLACK GRANITE

Suitability: Outdoors Material: Natural Finish: Fettle Edge Delivery: Mixed & Single Size Pallet See page 143 for more details



PAGE 96

# PAVERS & SETTS Rustic charm.

FOSSIL

Natural Stone Pavers & Setts are ideal for creating winding and undulating pathways with rustic charm through the garden. Create an attractive border to patio paving or driveways, which will add contrast to a paved area. NATURAL STONE BLOCK PAVING

Rich tapestry of beautiful natural stone.

Whether your home is old or modern, natural stone block paving offers the ultimate choice for your driveway, that will last a lifetime. A beautiful rich tapestry of natural stone with its varying hues and textures ensures your driveway will look unique.









Suitability: Outdoors Material: Natural Finish: Time-worn Surface Delivery: Mixed & Single Size Pallet See page **143** for more details Mixed only available in Kadapha







KADAPHA

## CIRCLE FEATURES

Handcrafted natural stone focal points.

Circle Features can be used to create focal points within a paved area and are often used to denote a seated area for relaxation or entertaining.

GOLDEN FOSSIL WITH BURFORD GOLDEN BUFF WALLING



BUFF







LIGHT GREY





GOLDEN FOSSIL

OXFORD\*

3600 x 3600 \* Available only as 2400mm diameter circle with 2700mm 2700 x 2700 squaring off kit. Oxford only. 1800 x 1800 3300 Ø Ø = diameter 2400 Ø 1500 Ø TOPTP Squaring off kits are also available.

SEE PAGE 144 FOR FULL TECHNICAL SPEC



Dry lay before

final installation

PAGE 100





## EDGING, COPING & STEPS

RUSTIC FOSSIL

The perfect finishing touch to you patio.

Pavestone offer a choice of edgings, copings & steps to complement our paving range.



BULLNOSE SUMMIT

SEE PAGE 144 & 146 FOR FULL TECHNICAL SPEC

PAGE 101

The Pavestone Block Paving range is perfect for driveways but also a great choice for patios, edging or even curved, meandering garden paths.



## **CONCRETE** GARDEN & DRIVEWAY

Infinito Block Paving	104
Pavesett Block Paving	106
Cobblesett & GrassPark	112
Slimsett Block Paving	114



### INFINITO BLOCK PAVING

Driveways and patios with a touch of class.

A jet black textured finish puts this large format block paving into a class of its own. Infinito is a robust paver available in two sizes providing a stylish look and feel to any driveway or patio. 14





Suitability: Outdoors Material: Concrete Finish: Textured Size: 300x200 and 200x200mm Delivery: Single Size See page 145 for more details



## PAVESETT BLOCK PAVING

Driveway aesthetics to complement all properties.

Timeless in appearance, the classic Pavestone tumbled block paving sett will deliver driveway aesthetics to complement all properties from a quaint thatched cottage to a modern town house.

Pavesett is available in five shades and has three size elements which allows your preferred laying pattern using one, two or all three of the sizes.



- ✓ Durable & stain resistant
- ✓ Algae & moss resistant
- ✓ Faster drying
- ✓ Low maintenance ✓ Longer lasting
- colour retention





Suitability: Outdoors Material: Concrete Finish: Tumbled Size: 200x150, 150x150 and 100x150mm **Delivery:** Single Size See page 145 for more details



AUTUMN BROWN





BRINDLE

SILVER

#### Interloc Edging


With a premium smooth finish and pencil line edges, Interloc provides an elegant edge to your patio or driveway. This robust edging has 'oversize' dimensions giving it additional 'inground' stability. Combined with its unique interlocking ends, it an ideal choice for finishing off driveways.

Unlike many other concrete edgings, Interloc has sealed 'face' edges making it more algae, moss and stain resistant. Available in three shades, this very durable edging complements much of the block paving range and also works beautifully with porcelain paving too.

See page 146 for technical information.

BLACK BLACK LIGHT GREY MID GREY


CHARCOAL











# COBBLESETT

----

Unique colour blends with a rustic appearance.

Timeless paving cobbles, rustic in appearance and offered in two unique colour blends. Cobblesett elevates and enhances paved areas to an unsurpassed level of strength, character and distinction!



OCEANIA





OCEANIA

Suitability: Outdoors Material: Concrete Finish: Tumbled Size: 150x150mm Delivery: Single Size See page 145 for more details





SUNSET ROUGE

# GRASSPARK

Extra parking, without the planning.\*

GrassPark is a permeable paving grid which allows grass to grow through whilst providing hard standing suitable for parking cars, vans or caravans. Perfect for discreet, extra parking spaces, yet retaining the look of grassland.



Suitability: Outdoors Material: Concrete Size: 600x400x100mm Delivery: Single Size See page 145 for more details

GrassPark facilitates natural drainage of rainwater into the subsoil and, as such, should negate the requirement for planning permission\* when used to pave front gardens for hard standing.





\*As with every construction project, it is always advisable to check with the relevant local planning authority prior to starting your project.



# SLIMSETT BLOCK PAVING Recreating cobbled street paving.

Slimsett Block Paving recreates the cobbled street paving that can be found in many historic cities and towns around Europe.

The characteristics of this block, facilitate the ability to create many attractive patterns, including sweeping curves, plus it has the versatility to be laid using either the 50mm or the 60mm face up.





BRINDLE




CAMARGUE



GREIGE









Pavestone Slimsett block paving is manufactured using the latest science in water repellent technology.

The result is a paving block that won't absorb water and offers significant benefits over standard block paving:

✓ Faster drying

retention

✓ Low maintenance





Laying options

BASKET WEAVE



HERRING BONE



STRETCHER BOND




Minimum Water Absorption

BRINDLE







Walling is fundamental in the creation of a perfect three-dimensional garden landscape and should be seen as so much more than a perimeter boundary. A primary use of walling is to effect changing levels to the vista, maybe by raising a patio or planted area.

> SLATE STACK CLADDING RUST WITH SAWN ASH PAVING

The Pavestone walling range consists of Natural Stone and Reconstituted (Man-made) Walling Stone products. Natural stone walling blocks tend to be irregular in shape and size which results in a rustic appearance to projects around older properties and in rural areas where natural stone is a feature of the landscape.

Reconstituted stone walling is manufactured using limestone from the Cotswolds. Whilst its irregular face and texture replicates natural stone, it benefits from having consistent dimensions helping to make construction as easy as using a standard brick. DECORATIVE WALLING & CLADDING

Cottage Walling	118
Dry Fell Walling	119
Moodul Modular Walling	120
Style Modular Walling	122
Burford Walling	124
Slate Stack Cladding	126
Porcelain Cladding	128

This garden is stunning! Watch my video to see why I love it so much!



David Domoney, C Hort. FCI Hort. presenter, ITVIS Love Your Garden

# NATURAL STONE WALLING

Old World IRustic Dappearance.

Natural stone walling can be used to create beautiful features within a garden design and for perimeter walling. The Pavestone ranges have been designed and hand crafted by our stonemasons to give a soft 'old world', rustic appearance.

YORK



### **Cottage Walling**

Pavestone natural stone walling blocks are rumbled to give soft rounded edges, reproducing old building stone.



COTSWOLD

COTSWOLD

Suitability: Outdoors Material: Natural Finish: Tumbled, Time-worn Edge Delivery: Single Size See page 146 for more details



YORK







### **Dry Fell Walling**

Natural stone in uniform widths and lengths makes building a dry stone wall easy.

Suitability: Outdoors Material: Natural Finish: Tumbled, Hand Dressed Edge Delivery: Mixed Size See page **146** for more details



FOSSIL

RAJ BLEND

# MOODUL WALLING Contemporary modular building block.

Moodul is a contemporary modular building block, innovatively designed to allow the creation of stunning features in your garden. Moodul adds a new dimension to your landscaping project and building with Moodul is achievable by the DIYer!








Suitability: Outdoors Material: Concrete Finish: Smooth Face Size: 600x300mm Delivery: Single Size See page **146** for more details

BLACK









BLACK

# STYLE WALLING Quick assembly garden rooms.

Style walling is a new, fast build modular walling system which allows you to create truly individual garden features in next to no time.





Whether you want to create a simple raised planter, seating area, or a complete outdoor kitchen and dining area, build it fast with Style.

Style's unique modern walling panels quickly assemble, using hidden stainless steel connectors, to build beautiful contemporary gardens and structures.



For a full list of design options and more ideas visit www.pavestone.co.uk

Suitability: Outdoors

Material: Concrete

Delivery: Single Size

Finish: Smooth Face

**Sizes:** 900x450x75mm & 900x150x75mm

Cover Stone

See page 147

for more details



# BURFORD WALLING

An affordable alternative to natural stone.

A realistic alternative to local stone at an affordable price, Burford reconstituted stone walling makes building work easy.

Your finished project will look, feel and age just as natural stone but at a fraction of the cost.



GOLDEN BUFF

GREY



GOLDEN BUFF

Suitability: Outdoors Material: Concrete Finish: Tumbled or Split Face\* Delivery: Single Size See page 147 for more details

\*Available as a special order



OOLITE CREAM



NATURAL LIGHT WEATHERED\*





GREY



BUFF BLACK\*



**IRONSTONE\*** 



YATE GREY\*

# SLATE STACK CLADDING

Create a modern contemporary work of art.

Slate Stack cladding is a new and inexpensive way of transforming existing lacklustre brick walls into modern contemporary works of art. Alternatively if you don't have the walls you need, then new walls can be constructed from economy concrete blocks and faced with the Slate Stack cladding to provide an impressive finish.





Suitability: Outdoors & Indoors Material: Natural Finish: Rustic Face Sizes: 240x75 & 390x75mm Delivery: Single Sizes See page 147 for more details







# PORCELAIN ROCK STACK CLADDING

Authentic rock walling created with ease.

Create a patio, courtyard or feature wall with an air of cosy rusticity with this authentic rock cladding. Choose from four shades to transform your indoor or outdoor living space.

BLACK







BLACK



BLACK

CREAM



See page **147** for more details



# PORCELAIN BRICK CLADDING Easy to install interlocking cladding.

On trend blends of black, grey and white make this interlocking cladding ideal to create a spectacular indoor or outdoor feature wall.



Suitability: Outdoors & Indoors Material: Porcelain Sizes: 400x160mm Delivery: Singles See page 147 for more details



SEPIA







# PORCELAIN ROCK WALL CLADDING Authentic Libatural look Liwalling.


Inspired by natural walling this rugged and rustic cladding interlocks easily to produce a seamless look of pure stone at its finest.



Suitability: Outdoors & Indoors Material: Porcelain Sizes: 400x160mm Delivery: Singles See page 147 for more details








# PORCELAIN MINERALI CLADDING Bring your walls to life.

Minerali is a small slip tile suitable for both internal and external walls. Available in white and grey shades, the cladding tiles have numerous texture faces and will bring any featureless wall to life.





ARTICO

Suitability: Outdoors & Indoors Material: Porcelain Sizes: 385x75mm **Delivery:** Singles See page 147 for more details






WALLING Save time with fast-set walling adhesive See page 137 for paving & walling accessories







# SEALERS & CLEANERS

Protecting and maintaining your investment.



#### **RUST STAIN REMOVER**

Organic formula that breaks down and removes orange oxide stains. Suitable for stone and porcelain.



CLASSIC SANDSTONE, BUFF

## CLEAN

#### PATIO CLEANER

Heavy duty cleaner for removing stubborn ground in dirt and grime from stone and porcelain paving.



Our scientifically advanced products clean, protect and maintain natural stone and porcelain. Pavestones range of sealing and maintaining products will ensure your patio looks fantastic year after year.

Protecting your patio and walling will keep it looking magnificent and may well save time and money in cleaning products later on.



#### **IRON STAIN REMOVER**

Removes rust breakouts, rust discolouration, cement and mortar stains from ferrous hard stones.



## CLEAN

#### PORCELAIN CLEANER

A gentle after-care cleaner especially formulated for use on porcelain paving. Cleans without damaging the grout or tile.





#### **DRIVEWAY CLEANER**

Removes black spot, lichen, moss and stains from driveway block paving, concrete and natural stone paving.





### BLACK SPOT & ALGAE REMOVER

Removes black spot, lichen, moss and stains from all types of external natural stone, concrete and porcelain paving.



# PROTECT

#### COLOUR ENHANCING STONE SEALER

Deepens colour and enhances the characteristics of natural stone and concrete paving.





#### NATURAL FINISH STONE SEALER

Protects all types of natural stone and concrete paving with minimal change to original character.



# PROTECT

#### PORCELAIN TILE PROTECTOR

Pre-grout treatment for use during porcelain paving installation. Protects against surface grout residue without altering the paving characteristics.



## RESTORE

#### CEMENT, GROUT & SALT RESIDUE REMOVER

Acid replacement cleaning solution for removing cement, grout and efflorescence residues. Suitable for porcelain and natural stone paving.





#### BLACK STONE REJUVENATOR & SEALER

Restores the colour and protects dark grey and black natural stone paving.





#### RESIN RESIDUE REMOVER

Removes resin films from the surface of natural stone and porcelain paving commonly caused by jointing compounds.



**PLEASE NOTE.** Do not use any cleaning, restoring or sealing products when surface temperatures are under 5°C or over 25°C. For full instructions, please refer to the bottle label or download a Data Sheet from www.pavestone.co.uk/information/product-data-sheets.



- No specialist tools
- Fast application
- No waste only mix what you need

Use even

when wet!

D PAVESTONE

POINTFIX

- Simple to use
- Cost effective
- Quick curing
- Can be applied to wet surfaces even when raining
- Prevents weed growth
- Pet friendly

"Quality paving deserves a professional finish. Pavestone Pointfix is perfect for fast and easy jointing."





### All Weather Epoxy Jointing Compound\*

Pavestone Pointfix is a superior two pack multi-use jointing and repair compound. One pack contains epoxy resin within the compound and the other epoxy hardener. Once thoroughly mixed the jointing compound cures to create a permanent hard jointing material.

There are no liquids or powders to measure and mix in, so mixing and applying Pointfix is much cleaner and easier than traditional sand and cement mortar. Pointfix is specifically designed for pointing and infilling between many types of surfaces including concrete paving, natural stone paving, brickwork and stonework.

If it rains, or is forecast to rain, completing a traditional pointing project can become a major problem. Pointfix eliminates this problem as it can be applied even when the paving or bricks are wet and you can even carry on pointing when it rains.

### Available in 5 colours

Pointfix comes in five shades to perfectly complement any paving colour. The 50/50 mixing ratio means you only need to mix what is needed, cutting down on waste.



Please note. Black is not recommended for light coloured paving.

PLEASE NOTE. Pointfix is not suitable for Porcelain paving.

# Professional pointing in 6 simple steps



Open both packs, measure 50/50 ratio of each & mix until uniform in colour.



Compact firmly into joints using a jointing tool.



Compact the surface to give it a clean flat finish.



With a soft brush/broom, push Pointfix mixture into the gaps.



Refill, if necessary, using a small soft hand brush.



Brush off any excess & wipe off any remaining residue with a damp sponge.

For additional technical information, please refer to the label on the reverse of the Pointfix tub.

### **Essential fixing products**

#### Wall & Cladding Adhesive -

High performance, quick setting and non slip, tile & walling adhesive. Ideal for porcelain, natural stone & concrete.

Priming Slurry - A polymer modified cement based priming slurry designed to facilitate the bonding of non-porous paving materials. Essential when laying Porcelain & Granite paving. Also recommended for the installation of all natural paving. Pavestone Priming Slurry will improve the bonding strengths and lifespan of your project and can be used with any of our paving products.

Tile Grout - A specially formulated, flexible, rapid setting paving grout providing a uniform joint colour. The fine texture provides a smooth, stain, mould and water resistant finish which is recommended for both Porcelain and some Natural Stone with sawn edges.

### Available in 6 colours



**PLEASE NOTE.** Do not use any cleaning, restoring or sealing products when surface temperatures are under 5°C or over 25°C. For full instructions, please refer to the bottle label or download a Data Sheet from www.pavestone.co.uk/information/product-data-sheets.







### **Tile Grout coverage**

Tile size (mm)	Joint width	Joint depth	Coverage kg/m <sup>2</sup>	10kg Tub Coverage
400 x 200	3mm	14mm	0.63	16m <sup>2</sup>
400 x 200	5mm	14mm	1.05	10m <sup>2</sup>
400 x 200	10mm	14mm	2.10	5m <sup>2</sup>
600 x 600	3mm	20mm	0.40	25m <sup>2</sup>
600 x 600	5mm	20mm	0.66	15m <sup>2</sup>
600 x 600	10mm	20mm	1.33	8m <sup>2</sup>
900 x 600	3mm	20mm	0.33	30m <sup>2</sup>
900 x 600	5mm	20mm	0.55	18m <sup>2</sup>
900 x 600	10mm	20mm	1.12	9m <sup>2</sup>
900 x 900	3mm	20mm	0.27	37m <sup>2</sup>
900 x 900	5mm	20mm	0.44	23m <sup>2</sup>
900 x 900	10mm	20mm	0.89	11m <sup>2</sup>
1000 x 500	3mm	20mm	0.36	28m <sup>2</sup>
1000 x 500	5mm	20mm	0.60	17m <sup>2</sup>
1000 x 500	10mm	20mm	1.20	8m <sup>2</sup>
1200 x 300	3mm	20mm	0.50	20m <sup>2</sup>
1200 x 300	5mm	20mm	0.84	12m <sup>2</sup>
1200 x 300	10mm	20mm	1.67	6m <sup>2</sup>
1200 x 600	3mm	20mm	0.30	33m <sup>2</sup>
1200 x 600	5mm	20mm	0.50	20m <sup>2</sup>
1200 x 600	10mm	20mm	1.00	10m <sup>2</sup>

All quoted coverages are approximates.

PLEASE NOTE. Areas to be grouted must be fully dry, especially the joints. Paving should also be thoroughly cleaned after grouting. We recommend the use of Pavestone Porcelain Tile Protector prior to grouting to aid easier cleaning.

# TECHNICAL

see page 16

### DIMENSIONS

Rectified: Rectified tiles have sawn. straight edges to achieve a dimensionally precise sizing per batch.

Non Rectified: Non rectified are produced with a nominal dimensional tolerance relating to each batch.

### LAYING ADVICE

Please note: Pavestone Priming Slurry must be applied to the reverse of each porcelain tile during the laving process. Please refer to website for full laying instructions.

#### IMPORTANT

Pointfix, or any other resin based jointing compounds, are not suitable for Porcelain.

Bowing: Please be aware that. due to the manufacturing process, rectangular porcelain can have a slight bow.

For further information please refer to the Porcelain Laving Guide on our website



Use Pavestone Porcelain Tile Protector before grouting





see page 20

WHITE SLATE





No./m<sup>2</sup> 1.39 No./pack 36 m<sup>2</sup>/pack 25.92 20 are rectified

1200x600

Thickness All dimensions

FRENCH LIMESTONE

SINGLE SIZE PACK

SLATE

DARK

**ORIGIN GRANDE** 











TRAVERTINE



SINGLE SIZE PACK

	1000x500
No./m <sup>2</sup>	2
No./pack	42
m²/pack	21
Thickness	20

All dimensions are non rectified (nominal)

SUNSET

GREY

**DOLOMITE PORCELAIN** 

**DISCOVERY PORCELAIN** 



see page 26





PLEASE NOTE. Dimensions stated on all paving ranges are nominal and for guidance only. ALWAYS check actual paving plan size before building any other structures such as walls and borders.

MOON

All dimensions are rectified



DECKWOOD





ASH

#### SINGLE SIZE PACK

COCO



#### TIDØ NATURAL PORCELAIN see page 40 Use Pavestone Porcelain Tile Protector before grouting SINGLE SIZE PACK SINGLE SIZE PACK SINGLE SIZE PACK 900x600 900x600 900x600 No./m<sup>2</sup> 1.85 No./m<sup>2</sup> 1.85 No./m<sup>2</sup> 1.85 42 40 48 No./pack No./pack No./pack m<sup>2</sup>/pack 21.6 m²/pack 25.92 m<sup>2</sup>/pack 22.68 Thickness 20 Thickness 20 Thickness 20 All dimensions All dimensions All dimensions CARBON GRANITE SILVER GRANITE GREYSTONE YORKSTONE are rectified are rectified are rectified



see

page 24

BLACK



BIANCO



SINGLE SIZE PACK

No./m<sup>2</sup>

900x900 1.23

32

26.01

20



<b>VERONA PORCELAIN</b>	see page 48
and the second	SINGLE SIZE PA
	ę

DUOMO MINT

**MONVISO PORCELAIN** 



SMOOTH GREY

WHITE

#### PACK 900x600 No./m<sup>2</sup> 1.85 No./ $m^2/n$

see page 44

SINGLE SIZE PACK

No./m<sup>2</sup>

No./pack

m<sup>2</sup>/pack

Thickness

All dimensions

are rectified

900x600

1.85

48

25.92

20


III/pack	~
Thickness	1
All dimensions	

раск	45
ack	24.3
kness	20

are rectified

GRANITE

## **MOSAIC PORCELAIN**



see page 46

#### SINGLE SIZE PACK

	600x600
No./m <sup>2</sup>	2.78
No./pack	64
m²/pack	23.04
Thickness	20

All dimensions are rectified

ANTI	CO	POR	CEL	AIN

QUARTZITE




#### SINGLE SIZE PACK

	800x400
No./m <sup>2</sup>	3.1
No./pack	54
m²/pack	17.28
Thickness	20

All dimensions are non rectified (nominal)

### **APULIA PORCELAIN**

#### see page 52



**AMALFI PORCELAIN** 

GRIS

**ALFA PORCELAIN** 

SINGLE SIZE PACK No./m<sup>2</sup> No./pack m²/pack Thickness LIME

see page 54

BEIGE

see page 56

All dimensions are rectified

SINGLE SIZE PACK

No./m<sup>2</sup>

No./pack

m<sup>2</sup>/pack

are rectified

Thickness All dimensions

900x600

1.85

42

22.68

20

900x600

1.85 42

22.68 20



#### see page 58



	-		
	1200x600	900x600	600x600
No./m <sup>2</sup>	1.39	1.85	2.78
No./pack	32	40	64
m²/pack	23.04	21.6	23.04
Thickness	20	20	20

595x595

2.82

72

25.48

20



Use Pavestone Porcelain Tile Protector before grouting







по./раск	32	40
m²/pack	23.04	21.
Thickness	20	20
All dimensions	s are rectifie	d



	900x600
No./m <sup>2</sup>	1.85
No./pack	52
m²/pack	28.08
Thickness	16

All dimensions are rectified

900x600



GREY











10m<sup>2</sup> ANTHRACITE GREY DUST

DIMENSIONS

Non Rectified: Non rectified are

straight edges to achieve a

Rectified: Rectified tiles have sawn,

dimensionally precise sizing per batch.

produced with a nominal dimensional tolerance relating to each batch.



No./pack

Coverage

Thickness

All dimensions are rectified











ANTHRACITE

STORM

**SETTS PORCELAIN** 

SINGLE SIZE PACK

20


1000

10m<sup>2</sup>





#### see page 65



ANTHRACITE DUST GREY



#### SAWN see page 70

States of the local division of the	SINGLE SIZE PACK	
2014 ISSN		900;
	No./m <sup>2</sup>	1.
AND INCOME.	No./pack	3
0 0 0	m²/pack	19
and the second	Thickness	20
ASH (C)	(c) = Calibrated	


	900x600		
No./m <sup>2</sup>	1.83		
No./pack	35		
m²/pack	19.13		
Thickness	20(c)		
(c) = Calibrated			

INSTALLATION 10 For full laying instructions, visit www.pavestone.co.uk/ technical-information/

#### TUDOR ANTIQUE see page 72









900x600

1.83

26 14.21

SINGLE SIZE PACK

SINGLE SIZE PACK		SINGLE SIZE
No./m <sup>2</sup>	1.37	No./m <sup>2</sup>
No./pack	30	No./pack
m²/pack	21.9	m²/pack
Thickness	25-40	Thickness


Oxford only

22(c) Cathedral only (c) = Calibrated



brush-in jointing

LAYING To help you plan your new patio, see our laying patterns on the website www.payestone.co.uk/information/ patio-laying-patterns/



15m<sup>2</sup> COVERAGE\* 900x600 Qty 13 600x600 Qtv 13 600x290 Qty 13 290x290 Qty 9

CONTRACTOR PACK

Total 48 Pieces \* Based on jointing

gap of 10-14mm

All shades Thickness 22mm (c) (c) = Calibrated



PAGE 141

LIMESTONE SAWN

COVERAGE 15m<sup>2</sup>

ALWAYS check actual paving plan size before building any other structures such as walls and borders.

### CLASSIC SANDSTONE






RAJ BLEND (C)



RIPPON (C)



see page 78

COUNTRY BUFF (C)

Raj Blend and Light Grey

Thickness 22mm (c)

BUFF (C)

#### SINGLE SIZE PACK

	900x600	600x600	600x290	290x290
No./m <sup>2</sup>	1.83	2.73	5.61	11.49
No./pack	35	35	100	150
m²/pack	19.13	12.82	17.86	13.05

Rai Blend, Light Grev, Golden Fossil, Buff & Country Buff (c) = Calibrated

#### Golden Fossil, Buff, Modak, Old Black, Rippon & Country Buff

### 20.7m<sup>2</sup> COVERAGE\*

900x600 Qty 17 600x600 Qty 17 600x290 Qtv 18 290x290 Qtv 19

CONTRACTOR PACK 1

**Total 71 Pieces** \* Based on jointing gap of 7-14mm

Raj Blend, Light Grey, Golden Fossil & Buff only

#### CONTRACTOR PACK 3

7.2m<sup>2</sup> COVERAGE\* 900x600 Qtv 6 600x600 Qty 6 600x290 Qty 6 290x290 Qty 5

**Total 23 Pieces** \* Based on jointing gap

of 7-14mm

For full guidance on laying Natural Stone please refer to www.pavestone.co.uk/installation

#### CONTRACTOR PACK 2

of 7-14mm

All shades

19.5m <sup>2</sup>	COVERAGE*
900x600	Qty 16
600x600	Qty 16
600x290	Qty 18
290x290	Qty 14
Total 64 F	Pieces
* Based on	jointing gap





CONTRACTOR PACK

see page 92

900x600 Qty 10 600x600 Qty 16 600x295 Qtv 16 Total 42 Pieces

\* Based on jointing gap of 10-14mm

#### SINGLE SIZE PACK

SLATE

	900x600	600x600	600x295
No./m <sup>2</sup>	1.83	2.73	5.52
No./pack	40	40	100
m²/pack	21.86	14.65	18.15
Thickness		20(c)	

(c) = Calibrated



#### LIMESTONE see page 86



CONTRACTOR PACK
15m <sup>2</sup> COVERAGE*
900x600 <b>Qty 13</b>
600x600 Qty 13 600x290 Qty 13
290x290 Qty 9
Total 48 Pieces * Based on jointing
gap of 10-14mm

All shades

#### SINGLE SIZE PACK

Sawn Edge

	900x60
No./m <sup>2</sup>	1.83
No./pack	26
m²/pack	14.21
Thickness	22(c)
Kota Blue (c) = Calibrated	I

#### SINGLE SIZE PACK

00		900x600	600x600	600x290	290x290
	No./m <sup>2</sup>	1.83	2.73	5.61	11.49
	No./pack	24	38	85	150
1	m²/pack	13.11	13.92	15.17	13.05
)	Thickness	22(c)			

Kadapha (c) = Calibrated Sawn Edge

### LAYING ADVICE

Kadapha will weather to a carbon-grey colour. To refresh the strong black colour we recommend applying Pavestone Black Stone Rejuvenator & Sealer (See page 135).



**LAYING ADVICE** 

All shades

Thickness 20mm (c)



KADAPHA

installation, please refer to

KADAPHA

our website

Variable thickness 100x150 Qty 150 Thickness 40-70 (Nominal) Total 450 Pieces **Old York & Old Cotswold** Variable thickness OXFORD \* For more details on OLD COTSWOLD

OLD YORK

CONTRACTOR PACK

SINGLE SIZE PACK

7.78m<sup>2</sup> COVERAGE\*

100x100 Qty 700

\* Based on jointing

gap of 10mm

Granite Black & Silver

Thickness 40-70mm

SINGLE SIZE PACK

22m<sup>2</sup> COVERAGE\*

100x100 Qtv 2000

\* Based on jointing

gap of 10mm

Thickness 18-30mm

Midnight

11.47m<sup>2</sup> COVERAGE\*

400x300 Qty 41 300x200 Qty 38 200x200 Qty 57 200x150 Qty 41

**Total 177 Pieces** 

DENBY

\* Based on jointing gap of 7-14mm

Thickness 30-50mm





#### CIRCLE KITS

	Total Pieces	Centre Ø	Ring 1 Ø	Ring 2 Ø	Ring 3 Ø	Squaring off kit
Large (3)	41	600	1500	2400	3300	3600 <sup>2</sup>
Medium (2)	25	600	1500	2400	-	2700 <sup>2</sup>
Small (1)	9	600	1500	-	-	1800 <sup>2</sup>
No. of pieces	-	1	8	16	16	-

Buff, Raj Blend, Fossil, Modak, Light Grey & Oxford\*

\*Oxford is only available in 2400mm circle and 2700mm squaring off kit.





The correct way to lay circles is to work from the inside outwards. As with any of our natural stone range, we recommend that the product is laid and tamped down on a firm mortar bed.

ALWAYS dry lay prior to final installation to ensure correct spacing is achieved.

# **CIRCLE FEATURE**



CATHERINE WHEEL Raj Blend only

	Full Circle Ø	With Squaring off kit
Size (mm)	2400	2700 <sup>2</sup>
No. of pieces	17	-
Thickness	30-45	30-45



see page 136



### POINTFIX

12Kg tub Coverage: 12Kg tub will cover up to 7.5m<sup>2</sup> Standard colours: Mushroom, Buff, Brown, Grey & Black

Please note. Black is not recommended for light coloured paving.



### **PRIMING SLURRY**

12.5Kg tub Apply with brush BS 7533 Compliant Coverage: 12.5Kg will cover up to 15.62m<sup>2</sup>

Always follow the instructions on the tub.



### WALL & CLADDING ADHESIVE

10Kg tub

Excellent initial grab - non-slip Internal & external use Suitable for swimming pools

Rapid bond Grout after 3 hours Suitable for underfloor heating



# TILE GROUT

10Kg tub Joint width 2-15mm Standard colours: White, Cream, Silver Grey, Mid Grey,

Slate Grey & Black



PLEASE NOTE. Do not use any fixing products when surface temperatures are under 5°C or over 25°C. For full instructions, please refer to the tub label or download a Data Sheet from www.pavestone.co.uk/ information/product-datasheets.

# **BULL NOSE STEPS**

see p101

SINGLE SIZE PACK

Bullnosed:	Treads 1 long edge 600x400	External Corner 400x400	Internal Corner 600x600
Wt/item	25.7kg	17.7kg	41kg
Pack wt	1130kg	778kg	900kg
No./pack	44	44	22
No./Linea m	1.66	-	-
Thickness	40	40	40

TREADS - Lightly textured surface and calibrated bottom

### PAGE 144

# INFINITO BLOCK PAVING see page 104

PAVESETT BLOCK PAVING

OCHRE GREY



SINGLE SIZE	PACK	
	300x200	200x200
No./m <sup>2</sup>	16.66	25
No./pack	144	216
m²/pack	8.64	8.64
Thickness	6	0

BLACK

BRINDLE



SILVER

# COBBLESETT BLOCK PAVING

### see page 112



#### SINGLE SIZE PACK 150x150x60 No./m<sup>2</sup> 44.44 No./pack 476 m<sup>2</sup>/pack 10.71 Thickness 60

OCEANIA

SUNSET ROUGE

GRASSPARK see page 113



SINGLE SIZE PACK 600,400

	0007400
No./m <sup>2</sup>	4.2
No./pack	27
m²/pack	6.5
Thickness	100




# HYDRO TECHNOLOGY Minimum

Water

The Pavestone Infinito. Cobblesett & Slimsett block paving range is manufactured using the latest science in water repellent technology.

AUTUMN BROWN SINGLE SIZE PACK

#### 200x150 150x150 100x150 No./m<sup>2</sup> 33.33 44.44 66.66 No./pack 312 416 624 m²/pack 9.4 Thickness 50



CHARCOAL

see page 106

#### **SLIMSETT BLOCK PAVING** see page 114









GREIGE

SINGLE SIZE PACK

WARNING. Never use Rock

Salt or De-Icing Salts on

corrodes and destrovs all concrete through a chemical


reaction and in addition will

exaggerate the natural freeze thaw cycles that erode the

concrete paving. Salt

surface of concrete.

	200x50	200x60
No./m <sup>2</sup>	100	83.33
No./pack	1008	1008
m²/pack	10.08	12.09



### **SLIMSETT LAYING OPTIONS**





STRETCHER BOND

# COPING & STEPS see page 101



# **STONE COPING**

SINGLE SIZE PACK

	600x150	600x280
No./pack	150	80
Thickness	40 +/-	40 +/-
No./Linea m	1.67	1.67



#### SINGLE SIZE PACK 600x450 No./pack 30 Thickness 50

1.6

No./Linea m





**RUSTIC EDGING** \_ . . . \_ . \_ . \_ . \_ . \_ . . . .

SINGLE SIZE PACK			
	600x150	600x280	
No./pack	150	80	
Thickness	40 +/-	40 +/-	
No./Linea m	1.67	1.67	



**BULLNOSE EDGING** 

SINGLE SIZE PACK				
	600x150			
No./pack	100			
Thickness	30			
No./Linea m	1.67			

BLACK LIGHT GREY MID GREY

### **INTERLOC EDGING**

SINGLE SIZE PACK

1000x200
76
60
1

#### **COTTAGE WALLING** see page 118



COTSWOLD

	290x100x40/70	215x100x40/70
No./Face m <sup>2</sup>	48	63
No./pack	238	317
Face m <sup>2</sup> /pack	5	5

# **DRY FELL WALLING**



	200x150	150x150	150x10
No./pack	150	150	150
Thickness		40-70	

One pack covers 3.83 face metres



#### **MOODUL WALLING** see page 119



	WALLING BLOCK 600x300x90	COVER STONE 600x300x75
No./pack	32	48
No./Linea m	1.67	1.67
No./Face m <sup>2</sup>	18.5	-

# WALLING BLOCK

see page 120



### **COVER STONE**





STYLE V	VALLING See pa	age 122		SLATE S CLADD	STACK	100	<b>BRICK</b> CLADDIN	IG	
and the second second	and the second second	<b>COVER STONE</b>				see page 126		G see page 130	J
LIGHT GREY	MEDIUM GREY	LIGHT GREY	EDIUM GREY	RUSTY	BLUE-BLAC		SEPIA	No./Face m <sup>2</sup> Thickness	400x160 15.7 8-12
	WALLING COVER PANEL STONE						SEPIA		
No./Face m <sup>2</sup> No./Linea m	000x450x75         900x150x75           2.47         -           -         1.11	JOINING PLATE	& OUTER ER	No./Face m <sup>2</sup> Thickness	240x75 390x7 55.56 34.10 17-25		ROCK WA	ALL IG see page	131
		STRETCHER BAR		specifically	Cladding must be or per m². If in doubt pl	lease			400x160
BURFOR	RD WALLING	see page 124		ROCK S	o calculate your requ	uirement.	and the second	No./Face m <sup>2</sup> Thickness	15.7 8-12
AJ		TI		CLADDI	NG se	ee page 128	VULCANI		
GOLDEN BUFF	OOLITE CREAM	GREY IF	RONSTONE*				MINERAL	I CLADDII	NG see p132
100	a province and the	- Indersteiner		BLACK	WHITE	- marine and	Part Parts	STR. Concertain	100
Att and the		and the second			A LOW D	and the second second	Contraction and the		
Internation	The second	AND A DESCRIPTION		The work	T ment	2	To be seen	- California	104
14 - 14 - 1 - A - A - A - A - A - A - A - A - A	and Arrive Party	ILC TOTAL			-	- Second	ARTICO	ZINCO	
NATURAL LIGHT WEATHERED*	BUFF BLACK*	YATE GREY*			- Aller	- Aller	38	35x75	
6	65x229x102 65x305x102 <sup>-</sup>	40x305x102 *Available as	a special order	CREAM	RUST	and the second second	No./Face m <sup>2</sup> 3 Thickness	9 9	
No./Face m <sup>2</sup>	56 43	22			385x75		THERICOS	•	
No./pack	415 309	153		No./Face m <sup>2</sup>	34.7				
Face m <sup>2</sup> /pack	7.44 7.30	7.23		Thickness	8-12		TE. When cladding ab ixings must be used.	ove 3 metres	PAGE 147

# GET IT RIGHT with **PAVESTONE**





LIMESTONE, ABBEY

# Before you place your order



Check you're happy with your choice.

Still not sure?

Request a sample from your stockist.

PAVESTONE

View a display at your stockist. See website for your nearest stockist.

+10%

Buy extra paving to allow for cuts and breakages. DOUBLE CHECK your calculations.



When buying all types of paving, **ALWAYS** buy from one batch.

# Before you get started



Inspect paving on delivery\*

Always check the paving on delivery and before you start laying.



If absent during installation ALWAYS inspect paving before going away.\*



## Dry lay before laying permanently

Essential to make sure the paving fits the area to be laid. Especially where dimensional accuracy is required, such as circle kits.

**PLEASE NOTE.** Dimensions stated on all paving ranges are nominal and for guidance only. **ALWAYS** check actual paving plan size before building any other structures such as walls and borders.

It's attention to detail that counts. Follow these do's and don'ts and you'll end up with a result you can show off to family and friends with genuine pride in a job well done.

Above all, take your time and don't skip a single step. You've invested time and money in choosing quality paving that's the right colour and style for your patio or driveway. Now you need to take the same care, if not more, to make sure you lay each and every slab neatly, cleanly and competently.

# Now you're ready to start



# Lay from different packs to blend colours.

Draw randomly from different packs/crates to assist colour blending.



# Porcelain & Natural Stone must always be primed on the back with a slurry primer.

This improves the bonding strengths and will extend the lifespan of your project.

Always follow the instructions on the tub.



# Space out paving to correct width.

Paving should be spaced to even out joint widths.

# **NEVER** butt joint.



# **NEVER** use acid to clean paving.

This will damage the paving. Always use a recommended proprietary cleaner.



See page 134 for our range of sealants & cleaners.

# Visit www.pavestone.co.uk/installation for more information



# **ALWAYS** lay with a 'full contact' bed of mortar.

This will ensure complete contact is made to the paver, with no voids, providing a much stronger patio.

# **NEVER** use the spot bed method.

This will create 'voids' which attract insects and vermin. The paving will be also be susceptible to fracture when loaded and can cause staining issues. Paving laid with any void bedding will invalidate any guarantees.

# Tap pavers to make 'full contact' with the mortar.

Using a rubber mallet, tap the pavers making sure they are the correct level.

# Chamfered edges. Lay paving the correct way up.



Natural Stone

Concrete The top



Natural stone is hand cut. The top edge will be clean and straight with the bottom much rougher. Concrete comes out of a mould, with the detailed face on the smaller side.



# ADVERSE WEATHER

Never lay, point, seal or clean in adverse weather conditions (**Surface temperature** must not be less than 5°C or more than 25°C).

\* When paving has been installed, it is deemed that the product has been checked and accepted. Pavestone do not accept any liability if the product has not been inspected prior to installation. These are the essential 'Golden Rules' for laying. For more detailed information, watch our 'How To' videos.







# LAY IT RIGHT with **PAVESTONE**


SPRINTER .....



# Now it's even easier to find out the correct way to lay paving.

Our extensive range of 'How to' videos will show you everything you need to know to help create your dream patio. Whether you need to see the whole process from start to finish or just need reassuring on certain stages of laying, our videos will show you all you need to know.





From marking out the area, to pointing up the paving, Pavestone's Landscaping Expert Mark Brown, shows you every step to help you create a natural stone patio.





PAGE 150

# HOWTO LAY A PORCELAIN PATIO



DOLOMITE, SLATE WITH PORCELAIN SETTS

Although Porcelain is laid similarly to Natural Stone, Mark guides you through the slight differences, such as grouting the joints and how to cut Porcelain using different power tools.



**Complex Designs? No problem!** 

Straight cuts. Curved cuts. Intricate cuts.

All you need to know to cut and create the most adventurous designs. And of course how to cut straight patios too!





PAGE 151

# TRADING ETHICALLY

Pavestone has a fundamental belief that the poor and vulnerable within the communities that produce our stone products should derive benefits from our local trading beyond the simplicity of the stone workers pay. We work closely in partnership with our suppliers to improve the quality of life, not only for those immediately employed by our supply partners but also all those living in and around their community.

Pavestone has always been acutely conscious of the concerns raised through consumers' increasing awareness of the ethical issues associated with the production of natural stone products from India.

For many years we have been importing only from audited stone producers who can successfully demonstrate that their processes meet the moral and ethical codes as established by the ETI (Ethical Trading Initiative) Base Code. In doing so we have contributed to the economic success of the communities in which our stone processors work and have helped to provide a safer and more secure working environment for our supplier partners' employees.

Pavestone is committed to ensuring that the working conditions of employees in our partner supply companies meet or exceed international standards and for many years we have adopted the ETI Base Code as a criteria for our supply chain.



## **The ETI Base Code**

- 1. Employment should be freely chosen with no forced, bonded or involuntary labour.
- 2. Workers have the right to join or form trade unions of their own choosing and to bargain collectively.
- 3. A safe and healthy working environment shall be provided.
- 4. Child labour shall not be used.
- Wages should always be enough to meet basic needs and to provide some discretionary income.
- 6. Working hours are not excessive and comply with national laws and benchmark industry standards.
- Workers should be treated equally regardless of race, caste, national origin, religion, age, disability, gender, marital status, sexual orientation, union membership or political affiliation.
- 8. Regular employment for individuals should be provided where work is ongoing.
- No harsh or inhumane treatment of workers. Physical abuse (or threat of), sexual or other harassment including verbal abuse or intimidation shall be prohibited.

For further information on the Ethical Trading Initiative and the Base Code please visit: www.ethicaltrade.org



# SUSTAINABILITY

Pavestone strives to minimise and continually reduce the adverse impacts of all our operations both in the immediate, local environment and throughout our supply chain globally. We also seek to contribute to the economic success of the communities in which we work and to provide a safe, secure working environment for both our employees and our supplier partners' employees.

### **Corporate Social Responsibility**

Our Corporate Social Responsibility initiatives seek to make our businesses more accountable for our actions and decisions.

We are committed to full legal compliance in all that we do and to make our business accountable to those that we directly or indirectly impact upon through the adoption of good practices.

Practices include:

- Creating a safe environment and a rewarding career for all our employees.
- Hold regular local residents 'open meetings' to discuss our impact on their local life.
- Monitoring and managing the environmental impact of all our operations.
- Monitoring and understanding the environmental impact of our suppliers operations.

### **Environmental Policy**

Pavestone recognises that it has an obligation to help protect the environment and the neighbourhoods in which we operate. Our awareness is a fundamental part of the Pavestone business strategy. We will seek as far as is reasonably practicable to minimise the company's effects on the environment. Main initiatives include:

- Ensuring environmental issues are considered carefully at all levels when planning and conducting business activities and that our employees understand and act in accordance with our environmental aims.
- Working co operatively with regulatory bodies including the environment agency and Local Authorities in addition to our industry trade association the Builders' Merchants Federation (BMF) so as to facilitate full awareness and contribution to environmental legislation changes.
- Managing our activities in line with best business practice to control the impact on the local community from noise, dust, light emissions and traffic movements.
- Annual reduction in energy consumption water usage waste production and improved segregation for reuse/recycling.
- Production of environmentally friendly ranges of products.

# **GENERAL INFORMATION**

### **Dimensions and coverage**

Dimensions stated on all paving ranges in this brochure are nominal and for guidance only. The area coverage of natural stone guoted in the brochure includes the appropriate joint widths to enable the correct amount of product to be purchased to cover a given area. Where space is critical and particularly when a circle or feature kit is being incorporated into a design, it is essential that the product is dry laid first in order to understand the gaps required to make the feature work. Retrospective correction of gaps once a job is underway is not always possible. Always check actual paving plan size before building any other structures such as walls, creating borders and installing drains and edgings. Basic laving patterns with joint widths are available upon request from Pavestone. We reserve the right to change dimensions and pack sizes without notice.

### Colours

Our porcelain, natural stone and concrete products can vary slightly in colour from time to time. We therefore cannot guarantee that products from different batches will always have identical colouration. Therefore we advise, when using several packs of paving or walling on a project, that the product is drawn randomly from all of the packs being used to achieve an overall well blended appearance. This eliminates patches of colours and gives a seamless, more natural blend of colours to the finished project.

The swatches reproduced in this brochure are as accurate as reprographic processes allow and are indications of the overall hue produced by the variety of colour variations in the given product. It is essential that you view the actual product at your stockist prior to purchasing. It is also advisable to inspect the product as soon as it is delivered to site, to ensure it is suitable prior to installation.

### Maintenance

Pressure washing is not recommended as it will damage the jointing and the face of concrete paving. We have a range of cleaning & sealing products and are happy to advise on the use of these if warm soapy water and a stiff broom fails to satisfy. Specific spillages of strong coloured liquids should be wiped off the paving immediately with a damp cloth to prevent any permanent damage.

### Warranties

In the unlikely event of our products reaching you in a less than satisfactory condition, please notify your supplier immediately who will be happy to organise replacements. Please note that if a product is knowingly laid with a defect apparent prior to laying then we reserve the right not to replace the product and will not accept any responsibility for costs incurred to rectify. Defects affecting the product functionality that appear, within one year of purchase, will be corrected by way of replacement product and may or may not include some assistance to rectify depending on the circumstances.

No consequential losses will be accepted.

All products carry the UK Conformity Assessed (UKCA) certification markings on the product packaging demonstrating their technical conformity.

### Sealing

Pavestone have a range of sealers. Always use in accordance with the manufacturers instructions.

### Porcelain paving

Porcelain Paving needs to be laid on a sub base and full contact mortar bed. like natural stone paving. However, and just as important, a slurry primer must be applied to the reverse of each tile prior to laying to facilitate full adhesion. Without this coating, adhesion of the tile may fail. For full instructions please visit our website:

http://www.pavestone.co.uk/technical-detail/laving-instructions/

Porcelain paving is made in batches and each batch can vary in colour and/or size therefore it is imperative to buy your total requirements from one batch. It is also best practice, prior to laying, to open as many packs as possible and place one tile from each pack next to each other to make sure you are happy with the colour and size.

As porcelain is made in very high temperatures there is an International Standard that allows Porcelain Manufacturers a tolerance for a bow. This is generally seen on larger rectangular tiles and any lipping can be minimised by offsetting the pattern to a 2/3 or 3/4 bond.

### Cladding

When cladding above 3 metres, mechanical fixings must be used.

### Grouting

Areas to be grouted must be fully dry. especially the joints. Paving should also be thoroughly cleaned after grouting. We recommend the use of Pavestone Porcelain Tile Protector prior to grouting to aid easier cleaning.

### Note

Product ranges, colours and sizes available are correct at the time of going to print. Pavestone reserves the right to alter its offering at any time, without prior notification.

For more information, inspiration and product updates visit our website and follow us on all social media platforms.

When paving has been installed, it is deemed that the product has been checked and accepted. Pavestone do not accept any liability if the product has not been inspected prior to installation.

# ACKNOWLEDGMENTS

Brochure design by Thinck Creative 07852 705871 Michael Prior Studio 01869 810442 With special thanks to: Mark Spencer Photography 07813 134304 SMD Photography Ltd 07941 594042 Avery Landscapes\* (Worcestershire) 01886 884266 A&R Landscapes\* (Cumbria) 07730 570889 Chapelhow Landscapes\* (Cumbria) 01768 362000 FRS Landscapes Ltd\* (Cheshire) 07896 583640 GSG Landscape Gardeners\* (Glouc) 07772 045703 Geoff Scott (Tyne and Wear) 07870 213961 JTPS Landscapes\* (Warwickshire) 07885 648283 Lee Harvey Designs\* (Essex) 07739 133132 M Lynch Landscapes\* Ltd (Kent) 01732 762160 Outer Spaces\* (Merseyside) 07734 157976 Pip Probert\*, Garden Designer (Merseyside) 07734 157976 Pearce Landscapes\* (Derbyshire) 07500 706198 Spy by Design\* (Tyne and Wear) 07725 027649 Tropical Landscapes Ltd\* (Norfolk) 07771 884331 Village Landscapes (West Midlands) 07745 729313 West End Landscapes\* (West Yorkshire) 07875 257329 Wildroof Landscapes\* (Cumbria) 01768 580877 Woodward Contracting Ltd\* (Warwickshire) 07973 520367

For more information about these landscapers visit www.pavestone.co.uk/highlighted-landscapers

\* Pavestone Preferred Installer/Designer




Brochure printed in the UK using material from sustainable forests.





PEFC Certified This product is from sustainably managed forests an ontrolled sources







To find your local stockist or landscaper visit our website **www.pavestone.co.uk** 



To request a sample, ask your local stockist.

# 

Pavestone UK Limited Westington Quarry, Chipping Campden, Gloucestershire GL55 6EG Tel 01386 848650 sales@pavestone.co.uk enquiries@pavestone.co.uk www.pavestone.co.uk

This publication or any part thereof may not be reproduced in any form without the written agreement of Pavestone UK Limited. © Copyright Pavestone UK Limited 2024.

